



2020AF0026

---

---

---

WYT-L

---

---

---

---

1. (TSG T7007 2016)

2.

3.

4.

5. 15

6.

1032

: TS7610038-2021

518029

50

518109

0755 28079821 0755 28079351

[www.sise.org.cn](http://www.sise.org.cn)

[szlift@sise.org.cn](mailto:szlift@sise.org.cn)



.....	1
.....	2
.....	3
.....	3
.....	7

			WYT-L
		4.00	m/s
		15.80	Kw
	/		/
			91210112715754447D
	37		
	37		
			2020 1 7
	20191227		
	23	72%RH	380V
	GB 7588-2003	TSG T7007-2016	
	EN 81-20:2014	EN 81-50:2014	1
	XPSQ2019120056AZNBG		

←WJ 飞

2020 1 7

---

---

1	Y5.1			
2	Y5.2			
3	Y5.3			

1.

1	Y6.1.1	5		
2	Y6.1.2	2 1000V 500V 60s	10.60 mA	
3	Y6.2.1	( )		
4				
5	Y6.2.2	( )		
6	Y6.2.3			

GB 7588§12.4.2.1


7 Y6.2.4

2.5

11	Y6.2.7	1min	AC1000V			
12	Y6.2.8		-	/		
13	Y6.2.9		200 Y6.2.4 Y6.2.6			
14	Y6.2.10	A			47.50 dB(A)	
		LPA				
		N·m	00	700		1500
		dB(A)	70	75		80
LPA						
3000N·m						
80dB(A)						
15	Y6.3.1		1/2000	0.07 mm		
16	Y6.3.2	0.10mm		0.03 mm		
17	Y6.3.3		15HBW	5.00 HBW		
18	Y6.4		( )			
		25cm <sup>2</sup>				
19	Y6.5.1	( )				
20		(1)	80K	105K	B F	
21		(2)	85			
		(3)				
22	Y6.5.2	A			51.00 dB(A)	
		LPA				
		m/s	2.5	4		
		dB(A)	62	65		68
LPA		70	80	-		
8m/s						
8m/s						

---

3.



4.

/

---

1.

2.

---

---